



1/4

Fig.1.





3/4

Fig.3.

Count	Offset	Flags	TS	Phase	Demodulated phase
293	45913 FCB		8	356.1	276
294	46070	18	8	240.5	280.7
295	46226	16	8	208.4	278.6
296	46382	16	8	180	280.2
297	46538	17	8	148.7	278.9
298	46695	18	8	30.3	280.6
299	46851	16	8	2.6	282.9
300	47007	16	8	329.4	279.8
301	47163 SYNC		8	296.7	279.8
302	47320	18	8	177.3	277.9
303	47476	16	8	149.1	279.7
304	47632	16	8	118.1	278.6
305	47788	17	8	84.9	275.5
306	47945	18	8	327.4	278.2
307	48101	16	8	298.2	278.9
308	48257	16	8	264.9	275.7
309	48413	17	7	55.4	276.3
310	48570	18	8	115.5	276.4
311	48726	16	8	85.3	276.3
312	48882	16	8	55.3	276.2
313	49038	17	7	208.2	279.3
314	49195	18	7	84.8	276
315	49351	16	8	236	277.2
316	49507	16	8	209.4	280.6
317	49663	17	7	356.8	278.1
318	49820	18	8	54.7	276
319	49976	16	8	22.7	274.1
320	50132	16	8	351.4	272.8
321	50288	17	8	323.9	275.2
322	50445	18	8	203.2	274.7
323	50601	16	8	176.3	277.9
324	50757	16	8	142	273.5
325	50913	17	7	294.4	276
326	51070	18	8	353	274.8
327	51226	16	8	321.3	273.1
328	51382	16	8	290.8	272.5
329	51538	17	8	264.1	275.8
330	51695	18	8	145.3	277.3
331	51851	16	8	111.7	273.7
332	52007	16	8	82.4	274.4
333	52163	17	7	231.7	273.7
334	52320	18	8	293.1	275.2
335	52476	16	8	264.4	276.6
336	52632	16	8	230.7	272.9
337	52788	17	7	22.7	274.9
338	52945	18	7	262.4	274.8
339	53101	16	8	51.1	273.5
340	53257	16	8	21.1	273.5
341	53413	17	7	170.7	273.2
342	53570	18	8	229.2	271.8
343	53726	16	8	198.9	271.5
344	53882	16	8	171.2	273.7
345	54038	17	8	140.4	273
346	54195	18	8	20.8	273.6
347	54351	16	8	351.3	274.1
348	54507	16	8	318.7	271.5

4/4

